

New England Biolabs Certificate of Analysis

Product Name: Luna[®] Probe One-Step RT-qPCR 4X Mix with UDG
Catalog Number: M3019S
Concentration: 4 X Concentrate
Packaging Lot Number: 10225421
Expiration Date: 02/2025
Storage Temperature: -20°C
Specification Version: PS-M3019S/L/X v2.0
Composition (1X): Proprietary


Luna [®] Probe One-Step RT-qPCR 4X Mix with UDG Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M3019SVIAL	Luna [®] Probe One-Step RT-qPCR 4X Mix with UDG	10187476	Pass
B1502AVIAL	Nuclease-free Water	10185496	Pass

Assay Name/Specification	Lot # 10225421
Functional Testing (One-Step RT-qPCR) Luna [®] Probe One-Step RT-qPCR 4X Mix with UDG is functionally tested in One-Step RT-qPCR with human RNA template, resulting in a standard curve with a calculated qPCR efficiency of 90-110%, and a dynamic range of 8 orders of magnitude.	Pass
Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 1X Luna [®] Probe One-Step RT-qPCR Mix with UDG containing 1 µg of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
RNase Activity Assay (4 Hour Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of Luna [®] Probe One-Step RT-qPCR 4X Mix with UDG is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass
qPCR DNA Contamination (E. coli Genomic) A minimum of 1 µl of Luna [®] Probe One-Step RT-qPCR 4X Mix with UDG is screened for the presence of E. coli genomic DNA using SYBR [®] Green qPCR with primers specific for	Pass

Assay Name/Specification	Lot # 10225421
the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Lea Antonopoulos
Production Scientist
19 May 2023



Michael Tonello
Packaging Quality Control Inspector
21 Dec 2023