

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: USER® Enzyme

Catalog Number: M5505L Concentration: 1,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to nick 10 pmol

of a 34 mer oligonucleotide duplex containing a single uracil base,

in 15 minutes at 37°C in a total reaction volume of 10 μl.

Packaging Lot Number: 10153113
Expiration Date: 01/2024
Storage Temperature: -20°C

Storage Conditions: 50 mM KCl, 5 mM NaCl, 10 mM Tris-HCl, 1 mM DTT, 0.1 mM EDTA, 50 %

Glycerol, 175 μg/ml BSA, (pH 7.4 @ 25°C)

Specification Version: PS-M5505S/L v1.0

| USER® Enzyme Component List | | | | |
|-----------------------------|-----------------------|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| M5505LVIAL | USER® Enzyme | 10136011 | Pass | |
| B6004SVIAL | rCutSmart™ Buffer | 10153335 | Pass | |

| Assay Name/Specification | Lot # 10153113 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Functional Test (USER, Transformation assay) A 10 μl reaction in ThermoPol Reaction Buffer containing 20 ng linearized pNEB206A, 100 ng of a 950 bp control PCR product and 1 unit of USER® Enzyme was incubated for 15 minutes at 37°C followed by 15 minutes at 25°C. After transformation into ER2267 chemically-competent cells >95% of colonies contained recombinant plasmid. | Pass |
| qPCR DNA Contamination (E. coli Genomic) A minimum of 1 unit of USER® Enzyme is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome. | Pass |
| RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of USER® Enzyme is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection. | Pass |



M5505L / Lot: 10153113 Page 1 of 2



This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Lauren Higgins Production Scientist 23 Jun 2022 Erin Varney/ Packaging Q

Packaging Quality Control Inspector

23 Jun 2022