

## New England Biolabs Certificate of Analysis


**Product Name:** *Acyclonucleotide Set*  
**Catalog Number:** *N0460S*  
**Packaging Lot Number:** *10154923*  
**Expiration Date:** *06/2025*  
**Storage Temperature:** *-20°C*  
**Storage Conditions:** *Supplied as dried, triethylammonium salts*  
**Specification Version:** *PS-N0460S v1.0*

Acyclonucleotide Set Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N0464AVIAL	AcycloTTP	10153786	Pass
N0463AVIAL	AcycloGTP	10153785	Pass
N0462AVIAL	AcycloCTP	10153784	Pass
N0461AVIAL	AcycloATP	10153783	Pass


Assay Name/Specification	Lot # 10154923
<b>Functional Testing (Acyclonucleotides)</b> A modification of Sanger sequencing is employed in which Terminator DNA Polymerase is mixed with primer, template, dNTPs, and one acyNTP. Resulting peaks are analyzed for intensity and distribution by electrophoresis and compared to those produced by prior acyNTP lots. The intensity and distribution of peaks are similar to previously accepted lots.	<b>Pass</b>
<b>Physical Purity (HPLC)</b> Each Acyclonucleotide is $\geq 95\%$ pure as determined by HPLC analysis.	<b>Pass</b>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



Michael Kuska  
Production Scientist  
03 Jun 2022



Erin Varney  
Packaging Quality Control Inspector  
03 Jun 2022