

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	Fast DNA Ladder
Catalog Number:	N3238S
Concentration:	25 μg/ml
Unit Definition:	N/A
Packaging Lot Number:	10185210
Expiration Date:	03/2025
Storage Temperature:	4°C
Storage Conditions:	0.002 % Xylene cyanol , 5 mM Tris-HCl (pH 8.0), 5 mM EDTA , 5 % Glycerol
Specification Version:	PS-N3238S v1.0

Fast DNA Ladder Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N3238SVIAL	Fast DNA Ladder	10184495	Pass	

Assay Name/Specification	Lot # 10185210
DNA Concentration (A260) The concentration of Fast DNA Ladder is between 25 and 27.5 μ g/ml as determined by UV absorption at 260 nm.	Pass
Electrophoretic Pattern (Marker) The banding pattern of Fast DNA Ladder on a 1.2% agarose gel shows discrete, clearly identifiable bands at each band of the marker, when stained with Ethidium Bromide at a concentration of 0.5 μ g/ml.	Pass
Non-Specific DNase Activity (DNA, 16 hour) A 50 µl reaction in 1X NEBuffer 2 containing 1.25 µg of Fast DNA Ladder incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Nulhi

Vanessa Mathieu-Sheltry Production Scientist 22 Mar 2023

Michae 0110

Michael Tonello Packaging Quality Control Inspector 21 Apr 2023

