

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: pSNAP-tag® (T7)-2 Vector

Catalog Number: N9181S
Concentration: 500 µg/ml
Packaging Lot Number: 10146314
Expiration Date: 11/2023
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl; 1 mM EDTA @pH 8.0

Specification Version: PS-N9181S v1.0

pSNAP-tag® (T7)-2 Vector Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N9181SVIAL	pSNAP-tag® (T7)-2 Vector	10128273	Pass

Assay Name/Specification	Lot # 10146314
Non-Specific DNase Activity (DNA, 16 hour) A 50 μl reaction in 1X NEBuffer 2 containing 2.5 μg of pSNAP-tag® (T7)-2 Vector incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease	Pass
degradation as determined by agarose gel electrophoresis. A260/A280 Assay	Pass
The ratio of UV absorption of pSNAP-tag® (T7)-2 Vector at 260 and 280 nm is between 1.8 and 2.	
DNA Concentration (A260) The concentration of pSNAP-tag® (T7)-2 Vector is between 500 and 550 μg/ml as determined by UV absorption at 260 nm.	Pass
Electrophoretic Pattern (Plasmid) The banding pattern of pSNAP-tag® (T7)-2 Vector on a 1.2% agarose gel is evaluated against a control lot for sharpness and relative intensity as determined by gel electrophoresis using Ethidium Bromide.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



N9181S / Lot: 10146314

Page 1 of 2

Chris Provost

Chris Provost Production Scientist 09 May 2022 Erin Varney

Packaging Quality Control Inspector

09 May 2022