

*be* INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name:	NEBExpress® GamS Nuclease Inhibitor
Catalog Number:	P0774S
Concentration:	1.5 mg/ml
Packaging Lot Number:	10173479
Expiration Date:	11/2024
Storage Temperature:	-20°C
Storage Conditions:	50 mM Tris-Acetate (pH 8.2 @ 25°C)
Specification Version:	PS-P0774S v1.0

NEBExpress® GamS Nuclease Inhibitor Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
P0774SVIAL	NEBExpress <sup>®</sup> GamS Nuclease Inhibitor	10171413	Pass	

Assay Name/Specification	Lot # 10173479
<b>Protein Purity Assay (SDS-PAGE)</b> NEBExpress <sup>™</sup> GamS Nuclease Inhibitor is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
<b>Functional Testing (GamS, Inhibition)</b> A 50 μl reaction in 1X NEBuffer 4 supplemented with 1 mM ATP containing 10 units of Exonuclease V (RecBCD) and a minimum of 0.2 μg of NEBExpress <sup>™</sup> GamS Nuclease Inhibitor incubated for 30 minutes at 37°C results in ≥90% inhibition as determined by scintillation counting.	Pass
Protease Activity (Non-Specific, SDS-PAGE) A 20 µl reaction in 1X NEBuffer 4 supplemented with 1 mM ATP containing 24 µg of a standard mixture of proteins and a minimum of 2 µg of NEBExpress <sup>™</sup> GamS Nuclease Inhibitor was incubated for 20 hours at 37°C. After incubation, no detectable degradation of the protein mixture was determined by SDS-PAGE with Coomassie Blue detection.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Alicia Bielik Production Scientist 23 Nov 2022

Michae MA.

Michael Tonello Packaging Quality Control Inspector 28 Nov 2022

