

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Factor Xa Protease

Catalog Number: P8010S Concentration: 1 mg/ml

Unit Definition: 1 µg of Factor Xa will cleave 50 µg of MBP fusion protein test

substrate, MBP- Δ Sal to 95% completion in a total reaction volume of 50 μ l in 6 hours or less at 23°C in 20 mM Tris-HCl (pH 8.0 @ 25°C)

with 100 mM NaCl and 2 mM CaCl2.

Lot Number: 10018766
Expiration Date: 05/2020
Storage Temperature: -20°C

Storage Conditions: 500 mM NaCl, 20 mM HEPES, 2 mM CaCl2, 50% glycerol, (pH 8.0 @ 25°C)

Specification Version: PS-P8010S/L v1.0

| Factor Xa Protease Component List | | | | |
|-----------------------------------|-----------------------|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| P8010SVIAL | Factor Xa Protease | 10009220 | Pass | |

| Assay Name/Specification | Lot # 10018766 |
|--|----------------|
| Functional Testing (Factor Xa, Fusion Cleavage) | Pass |
| A 50 µl reaction in 1X Factor Xa Buffer containing Fusion: MBP – Factor Xa – | |
| Paramyosin Delta sal and a minimum of 1 µg of Factor Xa Protease incubated for 6 | |
| hours at 25°C results in ≥ 95% cleavage as determined by SDS-PAGE with Coomassie | |
| Blue detection. | |
| Protease Activity (Non-Specific, SDS-PAGE) | Pass |
| A 20 µl reaction in 1X Factor Xa Buffer containing 24 µg of a standard mixture of | |
| proteins and a minimum of 5 µg of Factor Xa Protease was incubated for 20 hours at | |
| 37°C. After incubation, no detectable degradation of the protein mixture was | |
| determined by SDS-PAGE with Coomassie Blue detection. | |

This product has been tested and shown to be in compliance with all specifications.



P8010S / Lot: 10018766

Page 1 of 2

Alicia Bielik
Production Scientist
21 May 2018

Michael Tonello

Packaging Quality Control Inspector

11 Sep 2018