

*be* INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

| Product Name:          | Ndel   |
|------------------------|--|
| Catalog Number:        | R0111S   |
| Concentration:         | 20,000 U/ml  |
| Unit Definition:       | One unit is defined as the amount of enzyme required to digest 1 $\mu$ g of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 $\mu$ l. |
| Lot Number:            | 10017265   |
| Expiration Date:       | 02/2020  |
| Storage Temperature:   | -20°C  |
| Storage Conditions:    | 100 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%<br>Glycerol, 200 μg/ml BSA  |
| Specification Version: | PS-R0111S/L v1.0   |

| Ndel Component List |                              |            |                      |  |
|---------------------|------------------------------|------------|----------------------|--|
| NEB Part Number     | Component Description        | Lot Number | Individual QC Result |  |
| R0111SVIAL          | Ndel                         | 0321802    | Pass                 |  |
| B7204SVIAL          | CutSmart® Buffer             | 10013536   | Pass                 |  |
| B7024SVIAL          | Gel Loading Dye, Purple (6X) | 10012311   | Pass                 |  |

| Assay Name/Specification   | Lot # 10017265 |
|--|----------------|
| <b>Ligation and Recutting (Terminal Integrity)</b><br>After a 10-fold over-digestion of Lambda DNA with Ndel, >95% of the DNA fragments<br>can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,<br>>95% can be recut with Ndel.  | Pass           |
| Non-Specific DNase Activity (16 Hour)<br>A 50 µl reaction in CutSmart <sup>™</sup> Buffer containing 1 µg of Lambda DNA and a minimum of<br>100 Units of Ndel incubated for 16 hours at 37°C results in a DNA pattern free of<br>detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass           |
| Protein Purity Assay (SDS-PAGE)<br>Ndel is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.  | Pass           |
| Endonuclease Activity (Nicking)<br>A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and<br>a minimum of 20 Units of Ndel incubated for 4 hours at 37°C results in <20%<br>conversion to the nicked form as determined by agarose gel electrophoresis.                           | Pass           |





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

| Assay Name/Specification   | Lot # 10017265 |
|--|----------------|
| Exonuclease Activity (Radioactivity Release)   | Pass           |
| A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and                  |                |
| double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 100 units of Ndel incubated for 4 |                |
| hours at 37°C releases <0.1% of the total radioactivity.   |                |

This product has been tested and shown to be in compliance with all specifications.

You

Tony Spear-Alfonso Production Scientist 13 Jun 2018

Michae m. U

Michael Tonello Packaging Quality Control Inspector 08 Aug 2018

