

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Ndel
Catalog Number: R0111S
Concentration: 20,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 1010266
Expiration Date: 12/2022
Storage Temperature: -20°C

Storage Conditions: 100 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 μg/ml BSA

Specification Version: PS-R0111S/L v1.0

Ndel Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0111SVIAL	Ndel	10093491	Pass	
B7204SVIAL	CutSmart® Buffer	10096305	Pass	
B7024AVIAL	Gel Loading Dye, Purple (6X)	10091035	Pass	

Assay Name/Specification	Lot # 10102661
Protein Purity Assay (SDS-PAGE)	Pass
Ndel is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 100 Units of Ndel incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of Ndel incubated for 4	
hours at 37°C releases <0.1% of the total radioactivity.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of Lambda DNA with Ndel, >95% of the DNA fragments	
>95% can be recut with Ndel.	
can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	



R0111S / Lot: 10102661

Page 1 of 2

Assay Name/Specification	Lot # 10102661
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and	
a minimum of 20 Units of Ndel incubated for 4 hours at 37°C results in <20%	
conversion to the nicked form as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghaa Zhang Production Scientist

11 Mar 2021

Michael Tonello

Packaging Quality Control Inspector

11 Mar 2021



R0111S / Lot: 10102661

Page 2 of 2