

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	Nhel
Catalog Number:	R0131S
Concentration:	10,000 U/ml
Unit Definition:	One unit is defined as the amount of enzyme required to digest 1 μg of Lambda DNA (HindIII digest) in 1 hour at 37°C in a total reaction volume of 50 μl.
Lot Number:	10035482
Expiration Date:	11/2020
Storage Temperature:	-20°C
Storage Conditions:	250 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 0.15% Triton X-100, 200 μg/ml BSA
Specification Version:	PS-R0131S/L v1.0

Nhel Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0131SVIAL	Nhel	10027616	Pass	
B7202SVIAL	NEBuffer™ 2.1	10029698	Pass	
B7024SVIAL	Gel Loading Dye, Purple (6X)	10021141	Pass	

Assay Name/Specification	Lot # 10035482
Endonuclease Activity (Nicking) A 50 µl reaction in NEBuffer 2.1 containing 1 µg of supercoiled PhiX174 DNA and a minimum of 10 Units of NheI incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in NEBuffer 2.1 containing 1 μg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 250 units of Nhel incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Ligation and Recutting (Terminal Integrity) After a 20-fold over-digestion of Lambda HindIII DNA with NheI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with NheI.	Pass
Non-Specific DNase Activity (16 Hour) A 50 μl reaction in NEBuffer 2.1 containing 1 μg of Lambda HindIII DNA and a minimum	Pass





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Assay Name/Specification	Lot # 10035482
of 50 Units of NheI incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

Jianying Luo Production Scientist 02 Nov 2018

Michae 11.

Michael Tonello Packaging Quality Control Inspector 25 Feb 2019

