

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Sspl
Catalog Number: R0132S
Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10088130
Expiration Date: 12/2021
Storage Temperature: -20°C

Storage Conditions: 250 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 0.15% Triton X-100, 200 µg/ml BSA

Specification Version: PS-R0132S/L v1.0

Sspl Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0132SVIAL	SspI	10061346	Pass	
B0101SVIAL	NEBuffer™ EcoRI/SspI	10087353	Pass	

Assay Name/Specification	Lot # 10088130
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in NEBuffer Sspl containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of Sspl incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of Lambda DNA with Sspl, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Sspl.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer Sspl containing 1 µg of Lambda DNA and a minimum of 15 Units of Sspl incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) Sspl is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	Pass

This product has been tested and shown to be in compliance with all specifications.



R0132S / Lot: 10088130 Page 1 of 2 NEW ENGLAND BIOLADS Inc.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang

Production Scientist

21 Oct 2020

Michael Tonello

Packaging Quality Control Inspector

21 Oct 2020



R0132S / Lot: 10088130

Page 2 of 2