

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

| Product Name: | Pstl |
|------------------------|---|
| Catalog Number: | R0140L |
| Concentration: | 20,000 U/ml |
| Unit Definition: | One unit is defined as the amount of enzyme required to digest 1 μg of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl. |
| Packaging Lot Number: | 10134217 |
| Expiration Date: | 01/2024 |
| Storage Temperature: | -20°C |
| Storage Conditions: | 250 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 0.15% Triton X-100, 200 μg/ml BSA |
| Specification Version: | PS-R0140S/L v1.0 |

| Pstl Component List | | | | |
|---------------------|------------------------------|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| R0140LVIAL | Pstl | 10134216 | Pass | |
| B7024AVIAL | Gel Loading Dye, Purple (6X) | 10130600 | Pass | |
| B6003SVIAL | NEBuffer™ r3.1 | 10132773 | Pass | |

| Assay Name/Specification | Lot # 10134217 |
|--|----------------|
| Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 200 units of PstI incubated for 4 hours at 37°C releases <0.1% of the total radioactivity. | Pass |
| Blue-White Screening (Terminal Integrity) A sample of pUC19 vector linearized with a 10-fold excess of Pstl, religated and transformed into an E. coli strain expressing the LacZ beta fragment gene results in <1% white colonies. | Pass |
| Ligation and Recutting (Terminal Integrity) After a 100-fold over-digestion of Lambda DNA with Pstl, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Pstl. | Pass |
| Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of Lambda DNA and a minimum of 100 units of Pstl incubated for 16 hours at 37°C results in a DNA pattern free of | Pass |





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350

www.neb.com info@neb.com

| Assay Name/Specification | Lot # 10134217 |
|--|----------------|
| detectable nuclease degradation as determined by agarose gel electrophoresis. | |
| Protein Purity Assay (SDS-PAGE) | Pass |
| Pstl is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection. | |

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang

Penghua Zhang Production Scientist 24 Jan 2022

Michae

Michael Tonello Packaging Quality Control Inspector 24 Jan 2022

