

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Pstl Catalog Number: R0140S Concentration: 20,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10171936 12/2024 Expiration Date: Storage Temperature: -20°C

250 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Storage Conditions:

Glycerol, 0.15% Triton X-100, 200 µg/ml BSA

Specification Version: PS-R0140S/L v1.0

Pstl Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0140SVIAL	Pstl	10171931	Pass	
B7024AVIAL	Gel Loading Dye, Purple (6X)	10168649	Pass	
B6003SVIAL	NEBuffer™ r3.1	10168652	Pass	

Assay Name/Specification	Lot # 10171936
Protein Purity Assay (SDS-PAGE)	Pass
Pstl is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Blue-White Screening (Terminal Integrity)	Pass
A sample of pUC19 vector linearized with a 10-fold excess of PstI, religated and transformed into an E. coli strain expressing the LacZ beta fragment gene results in <1% white colonies.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in NEBuffer 3.1 containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 200 units of Pstl incubated for 4	
hours at 37°C releases <0.1% of the total radioactivity.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in NEBuffer 3.1 containing 1 µg of Lambda DNA and a minimum of 100 units of Pstl incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	



R0140S / Lot: 10171936

Page 1 of 2

Assay Name/Specification	Lot # 10171936
Ligation and Recutting (Terminal Integrity)	Pass
After a 100-fold over-digestion of Lambda DNA with Pstl, >95% of the DNA fragments	
can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	
>95% can be recut with Pstl.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

YunJie Sun \
Production Scientist

16 Dec 2022

Michael Tonello

Packaging Quality Control Inspector

19 Dec 2022



R0140S / Lot: 10171936

Page 2 of 2