

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Bglll
Catalog Number: R0144M
Concentration: 50,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10090152
Expiration Date: 11/2022
Storage Temperature: -20°C

Storage Conditions: 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 μg/ml BSA

Specification Version: PS-R0144M v2.0

BgIII Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
R0144MVIAL	BgIII	10090153	Pass	
B7203SVIAL	NEBuffer™ 3.1	10085495	Pass	
B7024AVIAL	Gel Loading Dye, Purple (6X)	10089392	Pass	

Assay Name/Specification	Lot # 10090152
Protein Purity Assay (SDS-PAGE) BgIII is >95% pure as determined by SDS PAGE analysis using Coomassie Blue	Pass
detection.	
Non-Specific DNase Activity (16 Hour) A 50 μl reaction in NEBuffer 3.1 containing 1 μg of Lambda DNA and a minimum of 100	Pass
Units of BgIII incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 20-fold over-digestion of Lambda DNA with BgIII, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	
>95% can be recut with BgIII.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 μl reaction in NEBuffer 3.1 containing 1 μg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 100 units of BgIII incubated for	
4 hours at 37°C releases <0.1% of the total radioactivity.	



R0144M / Lot: 10090152

Page 1 of 2

Assay Name/Specification	Lot # 10090152
Endonuclease Activity (Nicking) A 50 μl reaction in NEBuffer 3.1 containing 1 μg of supercoiled PhiX174 DNA and a minimum of 10 Units of BglII incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Blue-White Screening (Terminal Integrity) A sample of LITMUS28i vector linearized with a 10-fold excess of BgIII, religated and transformed into an E. coli strain expressing the LacZ beta fragment gene results in <1% white colonies	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghaa Zhang Production Scientist

11 Dec 2020

Josh Hersey

Packaging Quality Control Inspector

11 Dec 2020



R0144M / Lot: 10090152

Page 2 of 2