

## New England Biolabs Certificate of Analysis

**Product Name:** Mbol  
**Catalog Number:** R0147M  
**Concentration:** 25,000 U/ml  
**Unit Definition:** One unit is defined as the amount of enzyme required to digest 1 µg of Lambda DNA (dam-) in 1 hour at 37°C in a total reaction volume of 50 µl.  
**Packaging Lot Number:** 10072401  
**Expiration Date:** 01/2022  
**Storage Temperature:** -20°C  
**Storage Conditions:** 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 200 µg/ml BSA  
**Specification Version:** PS-R0147T/M v1.0

Mbol Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R0147MVIAl	Mbol	10064556	Pass
B7204SVIAl	CutSmart® Buffer	10075569	Pass
B7024SVIAl	Gel Loading Dye, Purple (6X)	10075964	Pass

Assay Name/Specification	Lot # 10072401
<b>Exonuclease Activity (Radioactivity Release)</b> A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 50 units of Mbol incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
<b>Endonuclease Activity (Nicking)</b> A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 50 units of Mbol incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
<b>Non-Specific DNase Activity (16 Hour)</b> A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda dam- DNA and a minimum of 50 Units of Mbol incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
<b>Ligation and Recutting (Terminal Integrity)</b>	Pass

Assay Name/Specification	Lot # 10072401
After a 10-fold over-digestion of Lambda dam- DNA with Mbol, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Mbol.	

This product has been tested and shown to be in compliance with all specifications.

  
\_\_\_\_\_  
Penghua Zhang  
Production Scientist  
10 Jul 2020

  
\_\_\_\_\_  
Michael Tonello  
Packaging Quality Control Inspector  
10 Jul 2020