

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Hinfl
Catalog Number: R0155M
Concentration: 50,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction of 50 μl.

Packaging Lot Number: 10180108
Expiration Date: 02/2025
Storage Temperature: -20°C

Storage Conditions: 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 µg/ml BSA

Specification Version: PS-R0155T/M v1.0

Hinfl Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0155MVIAL	Hinfl	10180109	Pass	
B6004SVIAL	rCutSmart™ Buffer	10175291	Pass	

Assay Name/Specification	Lot # 10180108
Protein Purity Assay (SDS-PAGE) Hinfl is >95% pure as determined by SDS PAGE analysis using Coomassie Blue	Pass
detection.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 20-fold over-digestion of Lambda DNA with Hinfl, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	
>95% can be recut with Hinfl.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 100 Units of Hinfl incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and	
double-stranded [3H] E. coli DNA and a minimum of 100 units of Hinfl incubated for	
4 hours at 37°C releases <0.1% of the total radioactivity.	

This product has been tested and shown to be in compliance with all specifications.



R0155M / Lot: 10180108

Page 1 of 2

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

YunJie Sun

Production Scientist 10 Feb 2023 Josh Hersey

Packaging Quality Control Inspector

13 Feb 2023



R0155M / Lot: 10180108

Page 2 of 2