

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name:MselCatalog Number:R0525SConcentration:10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10076874
Expiration Date: 01/2022
Storage Temperature: -20°C

Storage Conditions: 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 µg/ml BSA

Specification Version: PS-R0525S/L v1.0

| Msel Component List    |                              |            |                      |  |
|------------------------|------------------------------|------------|----------------------|--|
| <b>NEB Part Number</b> | Component Description        | Lot Number | Individual QC Result |  |
| R0525SVIAL             | Msel                         | 10064254   | Pass                 |  |
| B7204SVIAL             | CutSmart® Buffer             | 10075569   | Pass                 |  |
| B7024SVIAL             | Gel Loading Dye, Purple (6X) | 10075964   | Pass                 |  |

| Assay Name/Specification  | Lot # 10076874 |
|---|----------------|
| Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 30 units of Msel incubated for 4 hours at 37°C releases <0.2% of the total radioactivity.                 | Pass           |
| <b>Ligation and Recutting (Terminal Integrity)</b> After a 10-fold over-digestion of Lambda DNA with Msel, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Msel.                                      | Pass           |
| Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 100 Units of Msel incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass           |

This product has been tested and shown to be in compliance with all specifications.



R0525S / Lot: 10076874 Page 1 of 2



240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Pengha Zhang Production Scientist 08 Jul 2020

Michael Tonello

Packaging Quality Control Inspector

08 Jul 2020

R0525S / Lot: 10076874

Page 2 of 2