

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: DpnII

Catalog Number: R0543M

Concentration: 50,000 U/mI

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA (dam-) in 1 hour at 37°C in a total reaction volume of

50 μl.

Packaging Lot Number: 10069115
Expiration Date: 12/2021
Storage Temperature: -20°C

Storage Conditions: 300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 500 μg/ml BSA

Specification Version: PS-R0543T/M v1.0

| DpnII Component List | | | | |
|------------------------|------------------------------|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| R0543MVIAL | DpnII | 10061370 | Pass | |
| B7024SVIAL | Gel Loading Dye, Purple (6X) | 10065747 | Pass | |
| B0543SVIAL | NEBuffer™ DpnII | 10064903 | Pass | |

| Assay Name/Specification | Lot # 10069115 |
|---|----------------|
| Endonuclease Activity (Nicking) A 50 µl reaction in NEBuffer DpnII containing 1 µg of supercoiled PhiX174 DNA and a | Pass |
| minimum of 30 Units of DpnII incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis. | |
| Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer DpnII containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of DpnII incubated for 4 hours at 37°C releases <0.1% of the total radioactivity. | Pass |
| Ligation and Recutting (Terminal Integrity) After a 20-fold over-digestion of Lambda dam- DNA with DpnII, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with DpnII. | Pass |
| Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer DpnII containing 1 µg of Lambda dam- DNA and a minimum | Pass |



R0543M / Lot: 10069115

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

DpnII is >95% pure as determined by SDS PAGE analysis using Coomassie Blue

Penghua Zhang Production Scientist

13 Apr 2020

detection.

Jay Minichiello

Packaging Quality Control Inspector

13 Apr 2020