

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Mlyl
Catalog Number: R0610L
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Lot Number: 10010497
Expiration Date: 06/2020
Storage Temperature: -20°C

Storage Conditions: 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 μg/ml BSA

Specification Version: PS-R0610S/L v1.0

Mlyl Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0610LVIAL	Mlyl	10010498	Pass	
B7204SVIAL	CutSmart® Buffer	3061804	Pass	

Assay Name/Specification	Lot # 10010497
Protein Purity Assay (SDS-PAGE)	Pass
Mlyl is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and	
double-stranded [³H] E. coli DNA and a minimum of 30 units of Mlyl incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	
Thous at 57 6 releases <0.176 of the total radioactivity.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of	
10 Units of Mlyl incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of Lambda DNA with MlyI, ~75% of the DNA fragments	
can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	
~75% can be recut with MlyI.	

This product has been tested and shown to be in compliance with all specifications.



R0610L / Lot: 10010497 Page 1 of 2



08 Jun 2018

NEW ENGLAND

Michael Tonello

Packaging Quality Control Inspector 18 Jun 2018