

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Hpy99I
Catalog Number: R0615L
Concentration: 2,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10121014
Expiration Date: 09/2023
Storage Temperature: -20°C

Storage Conditions: 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 µg/ml BSA

Specification Version: PS-R0615S/L v1.0

Hpy99I Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0615LVIAL	Hpy99I	10121015	Pass	
B6004SVIAL	rCutSmart™ Buffer	10115113	Pass	

Assay Name/Specification	Lot # 10121014
Protein Purity Assay (SDS-PAGE)	Pass
Hpy99I is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of	
20 Units of Hpy99I incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 5-fold over-digestion of Lambda DNA with Hpy99I, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	
>95% can be recut with Hpy99I.	
Evenuelesse Activity (Padioactivity Palesse)	Pass
Exonuclease Activity (Radioactivity Release)	rass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and	
double-stranded [3H] E. coli DNA and a minimum of 20 units of Hpy99I incubated for	
4 hours at 37°C releases <0.1% of the total radioactivity.	

This product has been tested and shown to be in compliance with all specifications.



R0615L / Lot: 10121014 Page 1 of 2



One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Mala-Samaranayake--

Production Scientist

10 Sep 2021

Josh Hersey

Packaging Quality Control Inspector

10 Sep 2021



R0615L / Lot: 10121014

Page 2 of 2