

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: I-Scel
Catalog Number: R0694S
Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to cleave 1 µg

of pGPS2 Notl-linearized Control Plasmid in 1 hour at 37°C in a

total reaction volume of 50 μl.

Packaging Lot Number: 10144823
Expiration Date: 03/2024
Storage Temperature: -80°C

Storage Conditions: 300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 500 μg/ml BSA

Specification Version: PS-R0694S/L v1.0

I-Scel Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0694SVIAL	I-Scel	10144825	Pass	
N0420SVIAL	pGPS2 NotI-linearized Control Plasmid	10148419	Pass	
B6004SVIAL	rCutSmart™ Buffer	10146828	Pass	

Assay Name/Specification	Lot # 10144823
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of pGPS2-NotI DNA and a minimum	
of 50 units of I-Scel incubated for 16 hours at 37°C results in a DNA pattern free	
of detectable nuclease degradation as determined by agarose gel electrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of pGPS2-Notl DNA with I-Scel, >95% of the DNA	
fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated	
fragments, >95% can be recut with I-Scel.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and	
double-stranded [3H] E. coli DNA and a minimum of 50 units of I-Scel incubated for	
4 hours at 37°C releases <0.1% of the total radioactivity.	
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in CutŚmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and	



R0694S / Lot: 10144823

Page 1 of 2

Assay Name/Specification	Lot # 10144823
a minimum of 15 units of I-Scel incubated for 4 hours at 37°C results in <20%	
conversion to the nicked form as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghaa Zhang Production Scientist

04 May 2022

Erin Varney

Packaging Quality Control Inspector

04 May 2022



R0694S / Lot: 10144823

Page 2 of 2