

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: PI-Pspl
Catalog Number: R0695S
Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to cleave 1 µg

of pAKR7 Xmnl-linearized Control Plasmid in 1 hour at 65°C in a

total reaction volume of 50 μl.

Lot Number: 10015689
Expiration Date: 05/2020
Storage Temperature: -20°C

Storage Conditions: 300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 500 μg/ml BSA

Specification Version: PS-R0695S/L v1.0

Assay Name/Specification	Lot # 10015689
Non-Specific DNase Activity (16 Hour)	Pass
A 50 μl reaction in NEBuffer PI-Pspl containing 1 μg of pAKR7-Xmnl DNA and a minimum	
of 5 Units of PI-PspI incubated for 16 hours at 65°C results in a DNA pattern free	
of detectable nuclease degradation as determined by agarose gel electrophoresis.	
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in NEBuffer PI-Pspl containing 1 µg of supercoiled PhiX174 DNA and	
a minimum of 15 Units of PI-PspI incubated for 4 hours at 65°C results in <20%	
conversion to the nicked form as determined by agarose gel electrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 5-fold over-digestion of pAKR7-XmnI DNA with PI-PspI, ~75% of the DNA	
fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated	
fragments, ~75% can be recut with PI-PspI.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in NEBuffer PI-Pspl containing 1 µg of a mixture of single and	
double-stranded [3H] E. coli DNA and a minimum of 50 units of PI-PspI incubated for	
4 hours at 65°C releases <0.1% of the total radioactivity.	

This product has been tested and shown to be in compliance with all specifications.



R0695S / Lot: 10015689

Page 1 of 2



be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Penghua Zhang **Production Scientist**

11 Jul 2018

Josh Hersey Packaging Quality Control Inspector

11 Jul 2018

R0695S / Lot: 10015689

Page 2 of 2