

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Bccl
Catalog Number: R0704S
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of pXba DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10130945 Expiration Date: 12/2023 Storage Temperature: -20°C

Storage Conditions: 50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 μg/ml BSA

Specification Version: PS-R0704S/L v2.0

Bccl Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0704SVIAL	Bccl	10130944	Pass	
B6004SVIAL	rCutSmart™ Buffer	10128416	Pass	

Assay Name/Specification	Lot # 10130945
Protein Purity Assay (SDS-PAGE)	Pass
Bccl is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Ligation and Recutting (Terminal Integrity) After a 2-fold over-digestion of pXba DNA with Bccl, ~50% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Bccl.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in CutSmart® Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 10 units of Bccl incubated for 4 hours at 37°C releases <0.3% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of pXba DNA and a minimum of 10 Units of Bccl incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. NOTE: although no nuclease degradation is detected under these conditions, extended incubations and/or high concentrations of this enzyme may result in star activity.	Pass



R0704S / Lot: 10130945

Page 1 of 2

Assay Name/Specification	Lot # 10130945
See the product FAQ for recommended reaction conditions for this enzyme.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghaa Zhang Production Scientist

24 Jan 2022

Michael Tonello

Packaging Quality Control Inspector

24 Jan 2022



R0704S / Lot: 10130945

Page 2 of 2