

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	Nb.BtsI
Catalog #:	R0707S/L
Concentration:	10,000 units/ml
Unit Definition:	One unit is defined as the amount of enzyme required to convert 1 μ g of supercoiled PhiX174 RF I DNA to open circular form in 1 hour at 37°C in a total reaction volume of 50 μ l.
Lot #:	0021311
Assay Date:	11/2013
Expiration Date:	11/2015
Storage Temp:	-20 °C
Storage Conditions:	50 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 200 μg/ml BSA
Specification Version:	PS-R0707S/L v2.0
Effective Date:	07 Mar 2014

Assay Name/Specification (minimum release criteria)	Lot #0021311
Exonuclease Activity (Radioactivity Release) - A 50 μ l reaction in CutSmart TM Buffer containing 1 μ g of a mixture of single and double-stranded [³ H] <i>E. coli</i> DNA and a minimum of 100 units of Nb.BtsI incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) - A 50 µl reaction in CutSmart [™] Buffer containing 1 µg of PhiX174 DNA and a minimum of 10 Units of Nb.BtsI incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) - Nb.BtsI is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	Pass

* The BSA in this product has been granted an EDQM "Certificate of Suitability" from the European Directorate for the Quality of Medicines (# R1-CEP-2003-204-Rev00) and has been granted a USDA Certificate for Export of Bovine Blood Plasma/Serum for Manufacture into Pharmaceutical Products.

otunen

Authorized by Derek Robinson 07 Mar 2014



Emmo Jan Kas

Inspected by Emma Jean Hess 07 Mar 2014