

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: TspMI
Catalog Number: R0709S
Concentration: 5,000 U/mI

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of pBC4 plasmid DNA in 1 hour at 75°C in a total reaction volume of

50 μl.

Packaging Lot Number: 10174078 Expiration Date: 06/2023 Storage Temperature: -20°C

Storage Conditions: 20 mM Tris-HCl, 300 mM NaCl, 1 mM DTT, 1 mM EDTA, 50% Glycerol,

0.10% Triton® X-100, 200 μg/ml BSA, (pH 8.0 @ 25C)

Specification Version: PS-R0709S/V v2.0

TspMI Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
R0709SVIAL	TspMI	10174079	Pass	
B6004SVIAL	rCutSmart™ Buffer	10173161	Pass	

Assay Name/Specification	Lot # 10174078
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart® Buffer containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 50 units of TspMl incubated for 4	
hours at 75°C releases <0.1% of the total radioactivity.	
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in CutSmart® Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 5 units of TspMl incubated for 4 hours at 75°C results in <10%	
conversion to the nicked form as determined by agarose gel electrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of pBC4 DNA with TspMI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 25°C. Of these ligated fragments, ≥75%	
can be recut with TspMI.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in CutSmart® Buffer containing 1 µg of pBC4 DNA and a minimum of 5	1 200
units of TspMI incubated for 16 hours at 75°C results in a DNA pattern free of	



R0709S / Lot: 10174078

Page 1 of 2



Assay Name/Specification	Lot # 10174078
detectable nuclease degradation as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

YunJie Suń

Production Scientist

16 Dec 2022

Michael Tonello

Packaging Quality Control Inspector

19 Dec 2022



R0709S / Lot: 10174078

Page 2 of 2