

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Scal-HF®
Catalog Number: R3122S
Concentration: 20,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 μl.

Lot Number:10050212Expiration Date:03/2021Storage Temperature:-20°C

Storage Conditions: 200 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 μg/ml BSA

Specification Version: PS-R3122S/L v1.0

| Scal-HF® Component List |                              |            |                      |  |
|-------------------------|------------------------------|------------|----------------------|--|
| <b>NEB Part Number</b>  | Component Description        | Lot Number | Individual QC Result |  |
| R3122SVIAL              | Scal-HF®                     | 10038181   | Pass                 |  |
| B7204SVIAL              | CutSmart® Buffer             | 10047860   | Pass                 |  |
| B7024SVIAL              | Gel Loading Dye, Purple (6X) | 10043909   | Pass                 |  |

| Assay Name/Specification  | Lot # 10050212 |
|---|----------------|
| Endonuclease Activity (Nicking) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 20 Units of Scal-HF™ incubated for 4 hours at 37°C results in <20%   | Pass           |
| conversion to the nicked form as determined by agarose gel electrophoresis.  Exonuclease Activity (Radioactivity Release)  A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of Scal-HF™ incubated for 4 hours at 37°C releases <0.1% of the total radioactivity. | Pass           |
| Ligation and Recutting (Terminal Integrity)  After a 2-fold over-digestion of Lambda DNA with Scal-HF™, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Scal-HF™.   | Pass           |
| Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 60 Units of Scal-HF™ incubated for 16 hours at 37°C results in a DNA pattern free of  | Pass           |



R3122S / Lot: 10050212

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

Anthony Francis
Production Scientist

05 Mar 2019

**J**ay Minichiello

Packaging Quality Control Inspector

31 Jul 2019

