

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Pvull-HF®
Catalog Number: R3151L
Concentration: 20,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37° in a total reaction volume of 50 μl.

Packaging Lot Number: 10088423
Expiration Date: 10/2022
Storage Temperature: -20°C

Storage Conditions: 200 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 200 μg/ml BSA

Specification Version: PS-R3151S/L v1.0

Pvull-HF® Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R3151LVIAL	Pvull-HF®	10088422	Pass	
B7204SVIAL	CutSmart® Buffer	10085425	Pass	
B7024AVIAL	Gel Loading Dye, Purple (6X)	10085178	Pass	

Assay Name/Specification	Lot # 10088423
Endonuclease Activity (Nicking) A 50 μl reaction in CutSmart™ Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 200 Units of Pvull-HF™ incubated for 4 hours at 37°C results in <10%	Pass
conversion to the nicked form as determined by agarose gel electrophoresis. Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 200 units of Pvull-HF™ incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	
Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of Lambda DNA with PvuII-HF™, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with PvuII-HF™.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 100 Units of Pvull-HF™ incubated for 16 hours at 37°C results in a DNA pattern free	Pass



R3151L / Lot: 10088423

Page 1 of 2



Assay Name/Specification	Lot # 10088423
of detectable nuclease degradation as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghaa Zhang Production Scientist

06 Nov 2020

Michael Tonello

Packaging Quality Control Inspector

06 Nov 2020

