

New England Biolabs Certificate of Analysis

Product Name: BsrFI-v2
Catalog Number: R0682S
Concentration: 10,000 U/ml
Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg of pBR322 DNA in 1 hour at 37°C in a total reaction volume of 50 µl.
Packaging Lot Number: 10101008
Expiration Date: 03/2022
Storage Temperature: -20°C
Storage Conditions: 250 mM NaCl, 10 mM Tris-HCl, 1 mM DTT, 0.1 mM EDTA, 50 % Glycerol, 0.15 % Triton® X-100, 200 µg/ml BSA, (pH 7.4 @ 25°C)
Specification Version: PS-R0682S/L v2.0

BsrFI-v2 Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R0682SVIAL	BsrFI-v2	10101007	Pass
B7204SVIAL	CutSmart® Buffer	10097266	Pass

Assay Name/Specification	Lot # 10101008
<p>Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart® Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 30 units of BsrFI-v2 incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.</p>	Pass
<p>Protein Purity Assay (SDS-PAGE) BsrFI-v2 is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.</p>	Pass
<p>Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart® Buffer containing 1 µg of pBR322 DNA and a minimum of 10 units of BsrFI-v2 incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass
<p>Functional Testing (15 minute Digest) A 50 µl reaction in CutSmart® Buffer containing 1 µg of pBR322 DNA and 1 µl of BsrFI-v2 incubated for 15 minutes at 37°C results in complete digestion as determined by agarose gel electrophoresis.</p>	Pass

Assay Name/Specification	Lot # 10101008
<p>Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of pBR322 DNA with BsrFI-v2, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with BsrFI-v2.</p>	<p>Pass</p>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Penghua Zhang
Production Scientist
15 Mar 2021



Josh Hersey
Packaging Quality Control Inspector
15 Mar 2021