

be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

| Product Name:          | Protein A Magnetic Beads  |
|------------------------|---|
| Catalog Number:        | S1425S  |
| Lot Number:            | 10040015  |
| Expiration Date:       | 04/2022   |
| Storage Temperature:   | 4°C   |
| Storage Conditions:    | 0.02 % NaN3, 0.1 % BSA, 0.05 % Tween®20, 1 X PBS, (pH 7.4 @ 25°C) |
| Specification Version: | PS-S1425S v1.0  |

| Protein A Magnetic Beads Component List |                          |            |                      |  |
|---|--------------------------|------------|----------------------|--|
| NEB Part Number                         | Component Description    | Lot Number | Individual QC Result |  |
| S1425SVIAL                              | Protein A Magnetic Beads | 10040016   | Pass                 |  |

| Assay Name/Specification   | Lot # 10040015 |
|--|----------------|
| <b>Binding Capacity (Magnetic Beads)</b><br>Protein A Magnetic Beads (100 $\mu$ I) were equilibrated and incubated with 500 $\mu$ I of<br>Human Serum IgG for 1 hour at 25°C, then washed and the IgG eluted. Binding capacity<br>was determined to be >280 $\mu$ g of IgG per mI of beads.  | Pass           |
| <b>Functional Binding Assay (Qualitative)</b><br>Protein A Magnetic Beads (100 $\mu$ l) were equilibrated and incubated with 500 $\mu$ l of<br>Human Serum IgG for 1 hour at 25°C, then washed, eluted and evaluated by<br>Tris-Glycine gel to confirm low non-specific binding of extract proteins and high<br>isolation of target. | Pass           |
| <b>Non-Specific DNase Activity (16 hour, Buffer)</b><br>A 50 µl reaction in Protein A Magnetic Bead Storage Buffer containing 1 µg of<br>PhiX174-HaeIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of<br>detectable nuclease degradation as determined by agarose gel electrophoresis.                         | Pass           |
| <b>RNase Activity (Buffer)</b><br>A 10 µl reaction in Protein A Magnetic Bead Storage Buffer containing 40 ng of a 300<br>base single-stranded RNA is incubated at 37°C. After incubation for 16 hours, >90%<br>of the substrate RNA remains intact as determined by fluorescent detection.  | Pass           |

This product has been tested and shown to be in compliance with all specifications.





*be* INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

grd

Brad Landgraf Production Scientist 15 Apr 2019

Josh Hersey Packaging Quality Control Inspector

31 May 2019

