

New England Biolabs Certificate of Analysis


Product Name: *Magnetic mRNA Isolation Kit*
 Catalog Number: *S1550S*
 Packaging Lot Number: *10116579*
 Expiration Date: *01/2024*
 Storage Temperature: *4°C*
 Specification Version: *PS-S1550S v2.0*

Magnetic mRNA Isolation Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S1419SVIAL	Oligo d(T) ₂₅ Magnetic Beads	10089232	Pass
B1561AVIAL	Elution Buffer	10096780	Pass
B1559AVIAL	Wash Buffer II	10096777	Pass
B1558AVIAL	Wash Buffer I	10096779	Pass
B1557AVIAL	Low Salt Buffer	10097305	Pass
B1556AVIAL	Lysis/Binding Buffer	10096778	Pass

Assay Name/Specification	Lot # 10116579
Functional Testing (mRNA Isolation) Oligo d(T) ₂₅ Magnetic Beads were equilibrated and incubated with freshly prepared eukaryotic cell lysate for direct mRNA isolation. The beads were washed and the mRNA eluted. The eluate was evaluated on an Agilent Bioanalyzer and the enriched poly(A)+ RNA contains ≤15% rRNA.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in Magnetic mRNA Isolation Kit and meet the designated specifications.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.


Michael Spfoviero
Production Scientist
20 Jul 2021


Josh Hersey
Packaging Quality Control Inspector
20 Jul 2021