

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: SNAP-Surface® 594

Catalog Number: S9134S
Lot Number: 10043362
Expiration Date: 02/2024
Storage Temperature: -20°C

Specification Version: PS-S9134S v3.0

SNAP-Surface® 594 Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result

Assay Name/Specification	Lot # 10043362
Identity (Mass Spectrometry) The observed molecular mass of SNAP-Surface® 594 is 1057.3 Da +/- 1 Da as determined by mass spectrometry analysis.	Pass
In Vitro Protein Labeling A 50 μl reaction in 1X PBS and 1 mM DTT containing 5 μM of SNAP-tag® Purified Protein and a minimum of 10 μM of SNAP-Surface® 594 is incubated for 1 hour at 37°C results in the expected labeled product that is visualized on SDS-PAGE by fluorescent detection.	Pass
Physical Purity (HPLC) SNAP-Surface® 594 is ≥ 90% pure as determined by HPLC analysis.	Pass

This product has been tested and shown to be in compliance with all specifications.

Chris Provost

Production Scientist

Chistopher R. Visvort

21 Feb 2019

Michael Tonello

Packaging Quality Control Inspector

17 Apr 2019

S9134S / Lot: 10043362

Page 1 of 1