240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350

Date

30 Mar 2016

www.neb.com info@neb.com

## New England Biolabs Product Specification

Product Name: BL21 Competent E. coli

Catalog #: C2530H
Shelf Life: 12 months
Storage Temp: -80°C

Specification Version: PS-C2530H v1.0
Effective Date: 30 Mar 2016

## Assay Name/Specification (minimum release criteria)

Antibiotic Sensitivity (Ampicillin) - 15 µl of untransformed BL21 Competent *E. coli* streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.

Antibiotic Sensitivity (Chloramphenicol) - 15  $\mu$ l of untransformed BL21 Competent *E. coli* streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.

Antibiotic Sensitivity (Kanamycin) -  $15 \mu l$  of untransformed BL21 Competent *E. coli* streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for  $16 \text{ hours at } 37^{\circ}\text{C}$ .

Antibiotic Sensitivity (Spectinomycin) - 15  $\mu$ l of untransformed BL21 Competent *E. coli* streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.

Antibiotic Sensitivity (Streptomycin) -  $15 \mu l$  of untransformed BL21 Competent *E. coli* streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at  $37^{\circ}$ C.

Antibiotic Sensitivity (Tetracycline) - 15 µl of untransformed BL21 Competent *E. coli* streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.

Phage Resistance ( $\Phi$  80) - 15  $\mu$ l of untransformed BL21 Competent *E. coli* streaked onto a Rich Broth plate does not support plaque formation by phage  $\Phi$  80 after incubation for 16 hours at 37°C.

Transformation Efficiency - 50  $\mu$ l of BL21 Competent *E. coli* cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e7 cfu/ $\mu$ g of DNA.

Derek Robinson

Director of Quality Control





