

# **SAFETY DATA SHEET**

Revision date 19-Dec-2023 Version 5

# 1. Identification

**Product identifier** 

Product name SNAP-Capture Pull-Down Resin

Other means of identification

Product No S9144

UN/ID No UN1219

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use This product is for research and development only

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Address** 

New England BioLabs 240 County Road Ipswich, MA 01938 USA

Emergency telephone number

**Company Phone Number** 978-927-5054, 800-632-5227 (toll free)

**Telefax** 978-921-1350

E-mail address info@neb.com

24 Hour Emergency Phone Number Chemtrec +1 703-741-5970

# 2. Hazard(s) identification

#### Classification

Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3

#### Label elements





#### **Danger**

#### **Hazard statements**

Causes serious eye irritation. May cause cancer.

May cause drowsiness or dizziness.

# **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Wash face, hands and any exposed skin thoroughly after handling.

Avoid breathing dust, fume, gas, mist, vapors and spray.

Use only outdoors or in a well-ventilated area.

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.

# **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

### **Precautionary Statements - Storage**

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

#### **Precautionary Statements - Disposal**

Dispose of contents and container to an approved waste disposal plant.

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

#### Other information

May be harmful if swallowed. May be harmful if inhaled.

# 3. Composition/information on ingredients

#### Substance

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Isopropyl Alcohol	67-63-0	30 - 60	-	-

### 4. First-aid measures

**Description of first aid measures** 

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

**Skin contact** Wash skin with soap and water.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Effects of Exposure May cause cancer.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

#### **Explosion data**

Sensitivity to mechanical impact None. Sensitivity to static discharge

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate Personal precautions

personnel to safe areas. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. **Methods for containment** 

Methods for cleaning up Pick up and transfer to properly labeled containers.

# 7. Handling and storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Advice on safe handling

> skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable

respiratory equipment.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls/personal protection

# Control parameters

**Exposure Limits** 

Exposure Emilio			
Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

Chemical name	Alberta	British Columbia	Ontario	Quebec
Isopropyl Alcohol 67-63-0	TWA: 200 ppm TWA: 492 mg/m³ STEL: 400 ppm STEL: 984 mg/m³	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Isopropyl Alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
	STEL: 400 ppm	STEL: 400 ppm	STEL: 400 ppm	STEL: 400 ppm

Chemical nam	ne	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Isopropyl Alcol	nol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm
		STEL: 400 ppm	STEL: 400 ppm	STEL: 400 ppm	TWA: 980 mg/m <sup>3</sup>
					STEL: 500 ppm
					STEL: 1225 mg/m <sup>3</sup>
					Skin

## Biological occupational exposure limits

Chemical name	ACGIH
Isopropyl Alcohol	40 mg/L - urine (Acetone) - end of shift at end of workweek
67-63-0	

### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Hand protection** Wear suitable gloves.

**Skin and body protection**Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear

suitable gloves and eye/face protection.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Colorless

**Color** No information available

**Odor** Mild

Odor threshold No information available

Property Values Remarks • Method

pHNo data availableNone knownMelting point / freezing pointNo data availableNone known

Initial boiling point and boiling rangeNo data available

None known

**Flash point** 18 °C / 64.4 °F

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

imits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known No data available Relative density None known Water solubility No data available None known No data available Solubility(ies) None known No data available None known **Partition coefficient** 

Autoignition temperature 399 °C / 750.2 °F

Decomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

# 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

### Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness. May be harmful if inhaled.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity .

Numerical measures of toxicity

### The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 3,740.00 mg/kg

 ATEmix (dermal)
 8,118.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 60.20 mg/l

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	> 10000 ppm (Rat) 6 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol	-	Group 3	-	X
67-63-0				

### Legend

## IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure**No information available.

Target organ effects Respiratory system, Eyes, Skin. **Aspiration hazard** No information available.

# 12. Ecological information

The environmental impact of this product has not been fully investigated. **Ecotoxicity** 

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl Alcohol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
67-63-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =11130mg/L (96h,		
	EC50: >1000mg/L (72h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
	,	macrochirus)		

Persistence and degradability No information available.

#### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
Isopropyl Alcohol	0.05
67-63-0	

Mobility in soil No information available. Other adverse effects No information available.

# 13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

**US EPA Waste Number** D001.

California waste information This product contains one or more substances that are listed with the State of California as

a hazardous waste.

# 14. Transport information

DOT

**UN/ID No** UN1219

Proper shipping name Isopropyl Alcohol Solution

Transport hazard class(es)

**Packing group** 

3 Ш

TDG

MEX

ICAO (air)

**IATA** 

UN number or ID number UN1219

Proper shipping name Isopropyl Alcohol Solution

Transport hazard class(es) 3
Packing group |

<u>IMDG</u>

RID

ADR

ADN

# 15. Regulatory information

## **Regulatory information**

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

**International Inventories** 

**DSL/NDSL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	X	X	X
67-63-0			

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

# 16. Other information

NFPA_	Health hazards 2	Flammability	1	Instability 0	Special hazards -
HMIS_	Health hazards 2 *	Flammability	1	Physical hazards 0	Personal protection X
Chronic Hazard Star Leger	nd $* = Chronic I$	Health Hazard		-	-

### Key or legend to abbreviations and acronyms used in the safety data sheet

	Legend	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
--	--------	--

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value \* Skin designation

# Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Prepared by Environmental, Health and Safety, 978-927-5054

Revision date 19-Dec-2023

**Revision note**No information available.

<u>Disclaimer</u>

IMPORTANT: The information in this SDS is provided in good faith based on our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties or merchantability or fitness for a particular purpose. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable governmental requirements. Since conditions of use of the product are not under the control of New England Biolabs, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. New England Biolabs will not be liable for any damages resulting from handling or contact with the product.

**End of Safety Data Sheet** 

Page 11 / 11