

New England Biolabs Certificate of Analysis


Product Name: Taq DNA Ligase Reaction Buffer
Catalog Number: B0208S
Concentration: 10 X Concentrate
Packaging Lot Number: 10095204
Expiration Date: 10/2023
Storage Temperature: -20°C
Specification Version: PS-B0208S v1.0
Composition (1X): 20 mM Tris-HCl, 25 mM Potassium Acetate, 10 mM Magnesium Acetate, 1 mM NAD⁺, 10 mM DTT, 0.1% Triton®X-100, (pH 7.6 @ 25°C)

Taq DNA Ligase Reaction Buffer Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
B0208SVIAL	Taq DNA Ligase Reaction Buffer	10084268	Pass

Assay Name/Specification	Lot # 10095204
Endonuclease Activity (Nicking, Buffer) A 50 µl reaction in 1X Taq DNA Ligase Reaction Buffer containing 1 µg of supercoiled PhiX174 DNA incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Functional Testing (DNA Ligase Buffer) A 50 µl reaction in 1X Taq DNA Ligase Reaction Buffer containing 1 µg of BstEII digested Lambda DNA and 1 unit of Taq DNA Ligase incubated for 15 minutes at 45°C results in approximately 50% ligation of the cohesive ends of the DNA fragments as determined by agarose gel electrophoresis.	Pass
Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 1X Taq DNA Ligase Reaction Buffer containing 1 µg of HaeIII digested PhiX174 RF I DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
RNase Activity (Buffer) A 10 µl reaction in 1X Taq DNA Ligase Reaction Buffer containing 40 ng of a 300 base single-stranded RNA is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by polyacrylamide gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Ana Egana
Production Scientist
29 Dec 2020



Michael Tonello
Packaging Quality Control Inspector
29 Dec 2020