

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: CutSmart® Buffer

Catalog Number: B7204S

Concentration: 10 X Concentrate

Packaging Lot Number: 10065370 Expiration Date: 12/2022 Storage Temperature: -20°C

Specification Version: PS-B7204S v1.0

Composition (1X): 50 mM Potassium Acetate , 20 mM Tris Acetate, 10 mM Magnesium

Acetate, 100 μg/ml BSA, (pH 7.9 @ 25°C)

CutSmart® Buffer Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
B7204SVIAL	CutSmart® Buffer	10061300	Pass	

Assay Name/Specification	Lot # 10065370
pH (buffers/solutions)	Pass
The pH of 10X CutSmart® Buffer is between pH 7.8 and 8.0 at 25°C.	
RNase Activity (Buffer)	Pass
A 10 µl reaction in 1X CutSmart® Buffer containing 40 ng of a 300 base	
single-stranded RNA is incubated at 37°C. After incubation for 16 hours, >90% of the	
substrate RNA remains intact as determined by fluorescent detection.	
Non-Specific DNase Activity (16 hour, Buffer)	Pass
A 50 µl reaction in 1X CutSmart® Buffer containing 1 µg of PhiX174-HaeIII DNA	
incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease	
degradation as determined by agarose gel electrophoresis.	
Conductivity (buffers/solutions)	Pass
The conductivity of 10X CutSmart® Buffer is between 40 and 46 mS at 25°C.	
Endonuclease Activity (Nicking, Buffer)	Pass
A 50 µl reaction in 1X CutSmart® Buffer containing 1 µg of supercoiled PhiX174 DNA	газэ
incubated for 4 hours at 37°C results in <10% conversion to the nicked form as	
determined by agarose gel electrophoresis.	
Functional Testing (Restriction Digest, Buffer)	Pass



B7204S / Lot: 10065370

Page 1 of 2

Assay Name/Specification	Lot # 10065370
A 50 µl reaction in 1X CutSmart® Buffer containing 1 µg of Lambda dam- DNA and 1 unit of Clal incubated for 1 hour at 37°C results in complete digestion of the substrate DNA as determined by agarose gel electrophoresis.	
Functional Testing (Restriction Digest, Buffer) A 50 µl reaction in 1X CutSmart® Buffer containing 1 µg of Lambda DNA and 1 unit of Mscl incubated for 1 hour at 37°C results in complete digestion of the substrate DNA as determined by agarose gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.

Production Scientist

08 Jan 2020

Michael Tonello

Packaging Quality Control Inspector

15 Jan 2020



B7204S / Lot: 10065370

Page 2 of 2