

## New England Biolabs Certificate of Analysis


**Product Name:** LunaScript<sup>®</sup> Multiplex One-Step RT-PCR Kit  
**Catalog Number:** E1555S  
**Packaging Lot Number:** 10215701  
**Expiration Date:** 03/2025  
**Storage Temperature:** -20°C  
**Specification Version:** PS-E1555S/L v1.0

LunaScript <sup>®</sup> Multiplex One-Step RT-PCR Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M1557SVIAL	LunaScript <sup>®</sup> Multiplex One-Step RT-PCR Reaction Mix	10208051	Pass
M1556SVIAL	LunaScript <sup>®</sup> Multiplex One-Step RT-PCR Enzyme Mix	10208057	Pass
B1502AVIAL	Nuclease-free Water	10170341	Pass

Assay Name/Specification	Lot # 10215701
<p><b>* Individual Product Component Note</b> Standard Quality Control Tests are performed for each component included in LunaScript<sup>®</sup> Multiplex One-Step RT-PCR Kit and meet the designated specifications.</p>	Pass
<p><b>Functional Testing (RT-PCR, Multiplexing)</b> A 25 µl reaction in 1X LunaScript<sup>®</sup> Multiplex One-Step RT-PCR Reaction Mix containing 0.1 ng of total RNA, 1X LunaScript<sup>®</sup> Multiplex One-Step RT-PCR Enzyme Mix, and 0.33 µM primers for 40 cycles of PCR amplification results in the expected three products.</p>	Pass
<p><b>Functional Testing (RT-PCR, Sensitivity)</b> A 25 µl reaction in 1X LunaScript<sup>®</sup> Multiplex One-Step RT-PCR Reaction Mix containing 1 pg of total RNA, 1X LunaScript<sup>®</sup> Multiplex One-Step RT-PCR Enzyme Mix, and 0.5 µM primers for 40 cycles of PCR amplification results in the expected 566 bp product.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.

  
Lea Antonopoulos  
Production Scientist  
22 Sep 2023

  
Michael Tonello  
Packaging Quality Control Inspector  
06 Nov 2023