

New England Biolabs Certificate of Analysis

Product Name: HiScribe™ T7 Quick High Yield RNA Synthesis Kit
Catalog Number: E2050S
Packaging Lot Number: 10096709
Expiration Date: 07/2022
Storage Temperature: -20°C
Specification Version: PS-E2050S v1.0

HiScribe™ T7 Quick High Yield RNA Synthesis Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N2052AVIAL	NTP Buffer Mix	10089503	Pass
N0426AVIAL	Fluc Control Template	10094677	Pass
M0303AVIAL	DNase I (RNase-free)	10081693	Pass
M0255AVIAL	T7 RNA Polymerase Mix	10087151	Pass
B2051AVIAL	LiCl Solution	10078748	Pass


Assay Name/Specification	Lot # 10096709
Functional Testing (RNA Synthesis, Yield) A 20 µl reaction in the presence of 40 mM NTPs containing 1 µg FLuc Control Template with 2 µl of the T7 RNA Polymerase Mix incubated for 2 hours at 37°C results in a minimum of 150 µg of a 1.8 kb RNA as determined by OD 260 and agarose gel electrophoresis.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in HiScribe™ T7 Quick High Yield RNA Synthesis Kit and meet the designated specifications.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Dongxian Yue
Production Scientist
14 Jan 2021



Michael Tonello
Packaging Quality Control Inspector
20 Jan 2021