

## New England Biolabs Certificate of Analysis


**Product Name:** *HiScribe® T7 ARCA mRNA Kit (with Tailing)*  
**Catalog Number:** *E2060S*  
**Packaging Lot Number:** *10272958*  
**Expiration Date:** *05/2026*  
**Storage Temperature:** *-20°C*  
**Specification Version:** *PS-E2060S v3.0*

HiScribe® T7 ARCA mRNA Kit (with Tailing) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N2053AVIAL	2X ARCA/NTP Mix	10241033	Pass
N0247AVIAL	CLuc Control Template	10200019	Pass
M0444AVIAL	E. coli Poly(A) Polymerase	10264921	Pass
M0303AAVIAL	DNase I (RNase-free)	10237449	Pass
M0255AAVIAL	T7 RNA Polymerase Mix	10269439	Pass
B2051AVIAL	LiCl Solution	10234277	Pass
B1222AVIAL	0.1M DTT	10242838	Pass
B0276SVIAL	Poly(A) Polymerase Reaction Buffer	10269832	Pass

Assay Name/Specification	Lot # 10272958
<p><b>* Individual Product Component Note</b> Standard Quality Control Tests are performed for each component included in HiScribe® T7 ARCA mRNA Kit (with tailing) and meet the designated specifications.</p>	<b>Pass</b>
<p><b>Functional Testing (RNA Synthesis, Yield)</b> A 20 µl reaction in the presence of 1 X ARCA/NTP Mix containing 1 µg CLuc Control Template with 2 µl of the T7 RNA Polymerase Mix incubated for 30 minutes at 37°C results in a minimum of 15 µg of a 1.76 kb RNA as determined by OD 260 and agarose gel electrophoresis.</p>	<b>Pass</b>
<p><b>Functional Testing (RNA Tailing, Length)</b> A 50 µl reaction in Poly(A) Polymerase Reaction Buffer containing a minimum of 15 µg of HiScribe™ RNA product and 5 µl of Poly(A) Polymerase incubated for 30 minutes at 37°C results in a visible shift of the 1.76 kb RNA band as determined by agarose gel electrophoresis.</p>	<b>Pass</b>


This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Dongxian Yue  
Production Scientist  
09 Jul 2024



---

Michael Tonello  
Packaging Quality Control Inspector  
02 Jan 2025