

New England Biolabs Certificate of Analysis

Product Name: NEBNext UltraExpress™ RNA Library Prep Kit
 Catalog Number: E3330G
 Packaging Lot Number: 10203741
 Expiration Date: 02/2025
 Storage Temperature: -20°C
 Specification Version: PS-E3330G v1.0

NEBNext UltraExpress™ RNA Library Prep Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7762GVIAL	NEBNext Adaptor Dilution Buffer	10203758	Pass
E3342GVIAL	Nuclease-free Water	10203762	Pass
E3341GVIAL	0.1X TE	10203760	Pass
E3339GVIAL	NEBNext® Bead Reconstitution Buffer	10203765	Pass
E3338GVIAL	NEBNext® MSTC™ High Yield Master Mix	10203755	Pass
E3337GVIAL	NEBNext UltraExpress™ USER Enzyme	10203753	Pass
E3336GVIAL	NEBNext UltraExpress™ Ligation Master Mix	10203751	Pass
E3335GVIAL	NEBNext UltraExpress™ End Prep Reaction Buffer	10203749	Pass
E3334GVIAL	NEBNext UltraExpress™ End Prep Enzyme Mix	10203747	Pass
E3333GVIAL	NEBNext UltraExpress™ Second Strand Master Mix	10203746	Pass
E3332GVIAL	NEBNext UltraExpress™ Strand Specificity Reagent	10203745	Pass
E3331GVIAL	NEBNext UltraExpress™ First Strand Enzyme Mix	10203743	Pass
E3329GVIAL	NEBNext UltraExpress™ RNA Fragmentation Mix	10203742	Pass

Assay Name/Specification	Lot # 10203741
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext UltraExpress™ RNA Library Prep Kit and meet the designated specifications.</p>	Pass
<p>Functional Testing (Library Construction, RNA) Each set of reagents is functionally validated and compared to a previous lot through construction of libraries made from commercially available RNA, using the kit's minimum and maximum input requirements. Libraries made from previous and current lots for both input RNA amounts are sequenced together on the same Illumina®</p>	Pass

Assay Name/Specification	Lot # 10203741
flow cell and compared across various metrics including library yield, individual transcript abundance correlations (low vs. high input, old lot vs. new lot), 5'-3' transcript coverage, and fraction of reads mapping to a reference.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.




Christine Sumner
Production Scientist
02 Oct 2023

Michael Tonello
Packaging Quality Control Inspector
25 Nov 2023