

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Fast DNA Library Prep Set for Ion Torrent™

Catalog Number: E6270L
Packaging Lot Number: 10211517
Expiration Date: 04/2025
Storage Temperature: -20°C

Specification Version: PS-E6270L v2.0

NEBNext® Fast DNA Library Prep Set for Ion Torrent™ Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E6629AAVIAL	NEBNext® Q5® Hot Start HiFi PCR Master Mix	10211535	Pass
E6293AAVIAL	TE Buffer	10211531	Pass
E6291AAVIAL	NEBNext® DNA Library Primers for Ion Torrent™	10211532	Pass
E6277AAVIAL	Bst 2.0 WarmStart® DNA Polymerase	10211534	Pass
E6276AAVIAL	T4 DNA Ligase Buffer for Ion Torrent™	10211533	Pass
E6275AAVIAL	T4 DNA Ligase	10211529	Pass
E6274AAVIAL	NEBNext® DNA Library Adaptors for Ion Torrent™	10211527	Pass
E6272AAVIAL	NEBNext® End Repair Reaction Buffer	10211528	Pass
E6271AAVIAL	NEBNext® End Repair Enzyme Mix	10211530	Pass

Assay Name/Specification	Lot # 10211517
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
Fast DNA Library Prep Set for Ion Torrent™ and meet the designated specifications.	
Functional Testing (Library Construction, Ion Torrent™)	Pass
Each set of reagents is functionally validated and compared to a previous lot	
through construction of libraries made from commercially available genomic DNA,	
using the kit's minimum and maximum input requirements. Libraries made from previous	
and current lots for both input DNA amounts are sequenced on the Ion Torrent™	
platform and compared across various metrics including library yield, fraction of	
reads aligning to the reference, and insert size.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E6270L / Lot: 10211517 Page 1 of 2



Christin Summ

Christine Sumner Production Scientist 15 Dec 2023 Josh Hersey

Packaging Quality Control Inspector

15 Dec 2023