

New England Biolabs Certificate of Analysis

Product Name: *ProtoScript® II First Strand cDNA Synthesis Kit*
 Catalog Number: *E6560S*
 Packaging Lot Number: *10264373*
 Expiration Date: *09/2026*
 Storage Temperature: *-20°C*
 Specification Version: *PS-E6560S/L v1.0*

ProtoScript® II First Strand cDNA Synthesis Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S1332AVIAL	Oligo d(T)23 VN	10256757	Pass
S1330AVIAL	Random Primer Mix	10262095	Pass
M0556AVIAL	ProtoScript® II Enzyme Mix	10264378	Pass
M0555AVIAL	ProtoScript® II Reaction Mix	10264377	Pass
B1502AVIAL	Nuclease-free Water	10245817	Pass

Assay Name/Specification	Lot # 10264373
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in ProtoScript® II First Strand cDNA Synthesis Kit and meet the designated specifications.</p>	Pass
<p>Functional Testing (RT-PCR, Length) The performance of ProtoScript® II Reaction Mix with 1X ProtoScript® II Enzyme Mix is tested in a 20 µl RT reaction with 0.5 µg Human total RNA. The length of the product is verified by amplification of fibrillin using 0.4 µl of the RT reaction and 40 cycles of PCR amplification resulting in the expected 9.2 kb product.</p>	Pass
<p>Functional Testing (RT-PCR, Sensitivity) The performance of ProtoScript® II Reaction Mix with 1X ProtoScript® II Enzyme Mix is tested in a 20 µl RT reaction with 20 pg Human total RNA. The sensitivity of the product is verified by amplification of GAPDH using 0.4 µl of the RT reaction and 35 cycles of PCR amplification resulting in the expected product.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Trinh Nguyen
Production Scientist
07 Oct 2024



Josh Hersey
Packaging Quality Control Inspector
02 Dec 2024