

## New England Biolabs Certificate of Analysis

**Product Name:** NEBNext® Ultra™ II RNA Library Prep Kit for Illumina®  
**Catalog Number:** E7770G  
**Packaging Lot Number:** 10227625  
**Expiration Date:** 05/2025  
**Storage Temperature:** -20°C  
**Specification Version:** PS-E7770G v2.0

NEBNext® Ultra™ II RNA Library Prep Kit for Illumina® Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7764GVIAL	Nuclease-free Water	10227631	Pass
E7763GVIAL	(0.1X) TE Buffer	10227638	Pass
E7762GVIAL	NEBNext Adaptor Dilution Buffer	10227637	Pass
E7761GVIAL	NEBNext First Strand Synthesis Enzyme Mi	10227636	Pass
E7649GVIAL	NEBNext® Ultra™ II Q5® Master Mix	10227635	Pass
E7648GVIAL	NEBNext® Ultra™ II Ligation Master Mix	10227634	Pass
E7647GVIAL	NEBNext® Ultra™ II End Prep Reaction Buffer	10227633	Pass
E7646GVIAL	NEBNext® Ultra™ II End Prep Enzyme Mix	10227632	Pass
E7427GVIAL	NEBNext® Second Strand Synthesis Reaction Buffer, 10X	10227630	Pass
E7425GVIAL	NEBNext® Second Strand Synthesis Enzyme Mix	10227629	Pass
E7422GVIAL	Random Primers	10227628	Pass
E7421GVIAL	NEBNext® First Strand Synthesis Reaction Buffer	10227627	Pass
E7374GVIAL	NEBNext® Ligation Enhancer	10227626	Pass

Assay Name/Specification	Lot # 10227625
<p><b>* Individual Product Component Note</b> Standard Quality Control Tests are performed for each component included in NEBNext® Ultra™ II RNA Library Prep Kit for Illumina® and meet the designated specifications.</p>	<b>Pass</b>
<p><b>Functional Testing (Library Construction, RNA)</b> Each set of reagents is functionally validated and compared to the previous lot through construction of libraries made from commercially available RNA, using the kit's minimum and maximum input requirements. Libraries made from the previous and current lots for both input RNA amounts are sequenced together on the same Illumina flow cell and compared across various metrics including library yield, individual transcript abundance correlations (low vs. high input, old lot vs. new lot), 5'-3'</p>	<b>Pass</b>

Assay Name/Specification	Lot # 10227625
transcript coverage, and fraction of reads mapping to a reference.	


This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Christine Sumner  
Production Scientist  
28 Mar 2024



---

Michael Tonello  
Packaging Quality Control Inspector  
04 Sep 2024