

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Human DNA (c-5) MTase (Dnmt1)

Catalog Number: M0230L Concentration: 2,000 U/ml

Unit Definition: One unit is the amount of enzyme required to catalyze the transfer

of 1 pmol of methyl group to poly dl.dC substrate in a total

reaction volume of 25 µl in 30 minutes at 37°C.

Packaging Lot Number: 10086920
Expiration Date: 10/2021
Storage Temperature: -20°C

Storage Conditions: 50 mM Tris-HCl, 200 mM NaCl, 1 mM DTT, 1 mM EDTA, 50 % Glycerol, (pH

7.5 @ 25°C)

Specification Version: PS-M0230S/L v1.0

Human DNA (c-5) MTase (Dnmt1) Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
M0230LVIAL	Human DNA (cytosine-5) Methyltransferase (Dnmt1)	10086921	Pass	
B9003SVIAL	S-adenosylmethionine (SAM)	10085449	Pass	
B9001SVIAL	Purified BSA	10059427	Pass	
B0230SVIAL	Dnmt1 Reaction Buffer	10069817	Pass	

Assay Name/Specification	Lot # 10086920
Endonuclease Activity (Nicking) A 50 μl reaction in CutSmart® Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 6 units of Human DNA (cytosine-5) Methyltransferase (Dnmt1) incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in CutSmart® Buffer containing 1 μg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 10 units of Human DNA (cytosine-5) Methyltransferase (Dnmt1) incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 μl reaction in CutSmart® Buffer containing 1 μg of PhiX174-HaeIII DNA and a minimum of 6 units of Human DNA (cytosine-5) Methyltransferase (Dnmt1) incubated for	Pass



M0230L / Lot: 10086920

Page 1 of 2

Assay Name/Specification	Lot # 10086920
16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 2 units of Human DNA (cytosine-5) Methyltransferase (Dnmt1) is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Mala<del>-Samaranayake</del>

Production Scientist

22 Oct 2020

Michael Tonello

Packaging Quality Control Inspector

22 Oct 2020



M0230L / Lot: 10086920

Page 2 of 2