

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	ShortCut RNase III
Catalog Number:	M0245L
Concentration:	2,000 U/ml
Unit Definition:	One unit is the amount of enzyme required to digest 1 μ g of dsRNA to siRNA in 20 minutes at 37°C in a total reaction volume of 50 μ l.
Packaging Lot Number:	10235626
Expiration Date:	05/2025
Storage Temperature:	-20°C
Storage Conditions:	10 mM Tris-HCl, 500 mM NaCl, 1 mM DTT, 0.5 mM EDTA, 50% Glycerol, (pH 8.0 @ 25°C)
Specification Version:	PS-M0245S/L v1.0

ShortCut RNase III Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0245LVIAL	ShortCut® RNase III	10190550	Pass	
B1564SVIAL	Glycogen RNase-free	10190552	Pass	
B0786AVIAL	MnCl₂	10207561	Pass	
B0255AVIAL	10X EDTA	10174475	Pass	
B0245SVIAL	ShortCut Reaction Buffer	10207564	Pass	

Assay Name/Specification	Lot # 10235626
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in ShortCut® Reaction Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 10 units of ShortCut® RNase III incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in ShortCut® Reaction Buffer containing 1 µg of Lambda-HindIII DNA and a minimum of 6 units of ShortCut® RNase III incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) ShortCut® RNase III is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion)	Pass





240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Assay Name/Specification	Lot # 10235626
A 10 µl reaction in ShortCut® Reaction Buffer containing 40 ng of a 300 base single-stranded RNA and a minimum of 2 units of ShortCut® RNase III is incubated at 37°C. After incubation for 1 hour, >90% of the substrate RNA remains intact as	
determined by gel electrophoresis using fluorescent detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Bo Wu Production Scientist 09 May 2023

Michae 11.

Michael Tonello Packaging Quality Control Inspector 14 Mar 2024

