

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: ShortCut RNase III

Catalog Number: M0245S
Concentration: 2,000 U/ml

Unit Definition: One unit is the amount of enzyme required to digest 1 µg of dsRNA to

siRNA in 20 minutes at 37°C in a total reaction volume of 50 μl.

Packaging Lot Number: 1021151
Expiration Date: 09/2025
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl, 500 mM NaCl, 1 mM DTT, 0.5 mM EDTA, 50% Glycerol,

(pH 8.0 @ 25°C)

Specification Version: PS-M0245S/L v1.0

ShortCut RNase III Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0245SVIAL	ShortCut® RNase III	10207560	Pass	
B1564SVIAL	Glycogen RNase-free	10207562	Pass	
B0786AVIAL	MnCl ₂	10207561	Pass	
B0255AVIAL	10X EDTA	10207563	Pass	
B0245SVIAL	ShortCut Reaction Buffer	10207564	Pass	

Assay Name/Specification	Lot # 10211511
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in ShortCut® Reaction Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 10 units of ShortCut® RNase III incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in ShortCut® Reaction Buffer containing 1 µg of Lambda-HindIII DNA and a minimum of 6 units of ShortCut® RNase III incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) ShortCut® RNase III is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion)	Pass



M0245S / Lot: 10211511

Page 1 of 2

Assay Name/Specification	Lot # 10211511
A 10 µl reaction in ShortCut® Reaction Buffer containing 40 ng of a 300 base	
single-stranded RNA and a minimum of 2 units of ShortCut® RNase III is incubated at	
37°C. After incubation for 1 hour, >90% of the substrate RNA remains intact as	
determined by gel electrophoresis using fluorescent detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Bo Wu

Production Scientist 26 Sep 2023 Josh Hersey

Packaging Quality Control Inspector

30 Sep 2023