

New England Biolabs Certificate of Analysis

Product Name: *Endonuclease VIII*
Catalog Number: *M0299L*
Concentration: *10,000 U/ml*
Unit Definition: *One unit is defined as the amount of enzyme required to cleave 1 pmol of a 34-mer oligonucleotide duplex containing a single AP site in a total reaction volume of 10 µl in 1 hour at 37°C in 1X Endonuclease VIII Reaction Buffer containing 10 pmol of fluorescently labeled oligonucleotide duplex.*
Lot Number: *10010061*
Expiration Date: *06/2019*
Storage Temperature: *-20°C*
Storage Conditions: *10 mM Tris-HCl, 250 mM NaCl, 0.1 mM EDTA, 50 % Glycerol, (pH 8.0 @ 25°C)*
Specification Version: *PS-M0299S/L v1.0*

Endonuclease VIII Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0299LVIAL	Endonuclease VIII	10011135	Pass
B0299SVIAL	Endonuclease VIII Reaction Buffer	0011606	Pass

Assay Name/Specification	Lot # 10010061
Protein Purity Assay (SDS-PAGE) Endonuclease VIII is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in Endonuclease VIII Reaction Buffer containing 1 µg of Lambda-HindIII DNA and a minimum of 30 units of Endonuclease VIII incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in Endonuclease VIII Reaction Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 10 units of Endonuclease VIII incubated for 4 hours at 37°C releases <0.5% of the total radioactivity.	Pass

This product has been tested and shown to be in compliance with all specifications.

Lauren Higgins

Lauren Sears Higgins
Production Scientist
07 Jun 2018

Michael Tonello

Michael Tonello
Packaging Quality Control Inspector
11 Jun 2018