

New England Biolabs Certificate of Analysis


Product Name: PreCR[®] Repair Mix
Catalog Number: M0309L
Packaging Lot Number: 10057759
Expiration Date: 08/2021
Storage Temperature: -20°C
Storage Conditions: Proprietary
Specification Version: PS-M0309S/L v1.0

PreCR [®] Repair Mix Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S1284AVIAL	L1 Primer Mix	10040053	Pass
N3017AVIAL	UV DNA	10040051	Pass
M0309LVIAL	PreCR [®] Repair Mix	10057760	Pass
B9007SVIAL	β-Nicotinamide adenine dinucleotide (NAD ⁺)	10054423	Pass
B9004SVIAL	ThermoPol [®] Reaction Buffer Pack	10041932	Pass
B9000SVIAL	BSA, Molecular Biology Grade	10057616	Pass

Assay Name/Specification	Lot # 10057759
Functional Testing (Oligonucleotide Cleavage - 8-oxo-guanine) A 10 µl reaction in ThermoPol [®] Reaction Buffer containing 2.5 pmol of annealed oligo containing 8-oxo-guanine as the non-standard base and 1 µl of the PreCR [®] Repair Mix incubated for 1 hour at 37°C resulted in >70% cleavage as determined by polyacrylamide gel electrophoresis	Pass
Functional Testing (Oligonucleotide Cleavage - Thymine Glycol) A 10 µl reaction in ThermoPol [®] Reaction Buffer containing 2.5 pmol of annealed oligo containing thymine glycol as the non-standard base and 1 µl of the PreCR [®] Repair Mix incubated for 20 minutes at 37°C resulted in >70% cleavage as determined by polyacrylamide gel electrophoresis	Pass
Functional Testing (Oligonucleotide Cleavage - Uracil) A 10 µl reaction in ThermoPol [®] Reaction Buffer containing 2.5 pmol of annealed oligo containing uracil as the non-standard base and 1 µl of the PreCR [®] Repair Mix incubated for 10 minutes at 37°C resulted in >70% cleavage as determined by polyacrylamide gel electrophoresis	Pass
PCR Amplification (1 kb, PreCR[®])	Pass

Assay Name/Specification	Lot # 10057759
A 48 µl reaction in ThermoPol® Reaction Buffer containing 1.5 ng of UV damaged Lambda DNA, 100 µM dNTPs, 500 µM NAD ⁺ and 1 µl of the PreCR® Repair Mix was incubated for 15 minutes at 37°C. Addition of 100 µM dNTPs, 0.4 µM L1 primer mix and 2.5 units of Taq DNA Polymerase followed by 25 cycles of PCR resulted in the expected 1 kb specific product.	

This product has been tested and shown to be in compliance with all specifications.



Lauren Sears Higgins
Production Scientist
04 Apr 2019



Michael Tonello
Packaging Quality Control Inspector
06 Nov 2019