

New England Biolabs Certificate of Analysis


Product Name: WarmStart[®] Colorimetric LAMP 2X Master Mix (DNA & RNA)
Catalog Number: M1800L
Concentration: 2 X Concentrate
Packaging Lot Number: 10060133
Expiration Date: 07/2020
Storage Temperature: -20°C
Specification Version: PS-M1800S/L v2.0
Composition (1X): Proprietary

WarmStart [®] Colorimetric LAMP 2X Master Mix (DNA & RNA) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M1800SVIAL	WarmStart [®] Colorimetric LAMP 2X Master Mix (DNA & RNA)	10049944	Pass

Assay Name/Specification	Lot # 10060133
<p>qPCR DNA Contamination (E. coli Genomic) A minimum of 1 µl of WarmStart[®] Colorimetric LAMP Master Mix (DNA & RNA) is screened for the presence of E. coli genomic DNA using SYBR[®] Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.</p>	Pass
<p>Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 1X WarmStart[®] Colorimetric LAMP Master Mix (DNA & RNA) containing 1 µg of T3 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass
<p>Functional Testing (RT-LAMP, Master Mix) A 25 µl reaction with 1X WarmStart[®] Colorimetric LAMP Master Mix (DNA & RNA) in the presence of 1X LAMP Primers containing 10 ng of genomic RNA and 1X LAMP fluorescent dye results in a threshold time of ≤ 20 minutes as determined by fluorescent detection.</p>	Pass
<p>RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of WarmStart[®] Colorimetric LAMP 2X Master Mix (DNA & RNA) is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains</p>	Pass

Assay Name/Specification	Lot # 10060133
<p>intact as determined by gel electrophoresis using fluorescent detection.</p> <p>Functional Testing (LAMP, Master Mix) A 25 µl reaction with 1X WarmStart[®] Colorimetric LAMP Master Mix (DNA & RNA) in the presence of 1X LAMP Primers containing 10 ng genomic DNA and 1X LAMP fluorescent dye results in a threshold time of ≤ 20 minutes as determined by fluorescent detection.</p>	<p>Pass</p>

This product has been tested and shown to be in compliance with all specifications.



David Guo
Production Scientist
26 Jul 2019



Michael Tonello
Packaging Quality Control Inspector
26 Nov 2019