240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Vaccinia Capping System

Catalog #: M2080B-MT
Concentration: 10,000 units/ml

Unit Definition: One unit of Vaccinia Capping Enzyme is defined as the amount of enzyme required to incorporate 10 pmol of  $(\alpha^{32}P)$  GTP

into an 80 nt transcript in 1 hour at 37°C.

 Lot #:
 0351601

 Assay Date:
 01/2016

 Expiration Date:
 1/2018

 Storage Temp:
 -20°C

Storage Buffer: 100 mM NaCl, 20 mM Tris-HCl (pH 8.0), 1 mM DTT, 0.1 mM EDTA, 50 % Glycerol, 0.1 % Triton®X-100

Specification Version: PS-M2080S v1.0 Effective Date: 13 Apr 2015

Assay Name/Specification (minimum release criteria)	Lot #0351601
Endonuclease Activity (Nicking) - A 50 μl reaction in Capping Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 10 units of Vaccinia Capping System incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
<b>Exonuclease Activity (Radioactivity Release)</b> - A 50 μl reaction in Capping Buffer containing 1 μg of a mixture of single and double-stranded [ <sup>3</sup> H] <i>E. coli</i> DNA and a minimum of 10 units of Vaccinia Capping System incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
<b>Protein Purity Assay (SDS-PAGE)</b> - Vaccinia Capping System is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion) - A 10 $\mu$ l reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 10 units of Vaccinia Capping System is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass

Authorized by Derek Robinson 13 Apr 2015

nqa.
ISO 9001
Registered
Quality





Inspected by Bhairavi Jani 25 Jan 2016