

DISCOVERY 240 County Road
GENUINE Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Vaccinia Capping System

Catalog Number: M2080S Concentration: 10,000 U/ml

Unit Definition: One unit of Vaccinia Capping Enzyme is defined as the amount of

enzyme required to incorporate 10 pmol of (α³²P) GTP into an 80 nt

transcript in 1 hour at 37°C.

Packaging Lot Number: 10176944
Expiration Date: 07/2024
Storage Temperature: -20°C

Storage Conditions: 100 mM NaCl , 20 mM Tris-HCl (pH 8.0), 1 mM DTT , 0.1 mM EDTA , 50 %

Glycerol , 0.1 % Triton®X-100

Specification Version: PS-M2080S v1.0

Vaccinia Capping System Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N2080AVIAL	GTP	10156182	Pass	
M2080SVIAL	Vaccinia Capping System	10177101	Pass	
B9003SVIAL	S-adenosylmethionine (SAM)	10171171	Pass	
B2080AVIAL	10X Capping Buffer	10164466	Pass	

Assay Name/Specification	Lot # 10176944
Protein Purity Assay (SDS-PAGE)	Pass
Vaccinia Capping System is ≥ 95% pure as determined by SDS-PAGE analysis using	
Coomassie Blue detection.	
RNase Activity (Extended Digestion)	Pass
A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA	
and a minimum of 10 units of Vaccinia Capping System is incubated at 37°C. After	
incubation for 4 hours, >90% of the substrate RNA remains intact as determined by	
gel electrophoresis using fluorescent detection.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 μl reaction in Capping Buffer containing 1 μg of a mixture of single and	
double-stranded [3H] E. coli DNA and a minimum of 10 units of Vaccinia Capping	
System incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	
Endonuclease Activity (Nicking)	Pass



M2080S / Lot: 10176944

Page 1 of 2

Assay Name/Specification	Lot # 10176944
A 50 µl reaction in Capping Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 10 units of Vaccinia Capping System incubated for 4 hours at 37°C results	
in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Jessica Cane Production Scientist 21 Jul 2022 Michael Tonello

Packaging Quality Control Inspector

26 Jan 2023



M2080S / Lot: 10176944

Page 2 of 2